

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	112	((712/222).CCLS.) and @pd>="20000215"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 15:27
S1	6	((("6336998") or ("5685009") or ("5611063") or ("5568646") or ("6076155") or ("5781457"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/27 18:18
S2	6	((("6366998") or ("5685009") or ("5611063") or ("5568646") or ("6076155") or ("5781457"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/27 18:19
S3	150	((712/222).CCLS.) and (floating adj1 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/30 16:15
S4	0	(floating adj1 point adj1 registers) and ((instruction adj1 set) near4 (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:48
S5	0	(floating adj1 point) and ((instruction adj1 set) near4 (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:49
S6	1	(floating adj1 point) and ((instruction adj1 set) and (mode adj1 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 11:50
S7	4	(floating adj1 point) and (mode adj1 identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 12:51
S8	214	(floating adj1 point adj1 registers) and (instruction adj1 sets)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/02/03 13:23
S9	80	((floating adj1 point adj1 registers) and (instruction adj1 sets)) and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 13:29
S10	40	(mode adj1 indicator) and (floating adj1 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:00

S11	0	"Richter.in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S12	2255	(RICHTER-ET-AL)".in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S13	2255	(RICHTER-ET-AL)".in" and 712/?. ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S14	2255	(RICHTER-ET-AL)".in" and (712/?)".ccls"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:02
S15	2255	(RICHTER-ET-AL)".in" and (("712/")".ccls")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:03
S16	2255	(RICHTER-ET-AL)".in" and CISC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:03
S17	21	((RICHTER-ET-AL)".in") and CISC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:40
S18	24	((RICHTER-ET-AL)".in") and (instruction adj1 sets)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/24 15:45
S19	97	((712/222).CCLS.) and (floating adj1 point adj1 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/25 09:59
S20	2	("5487684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2002/09/26 08:06
S21	2	("5481684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2002/09/26 08:07
S22	14	(RICHTER-DAVID-E)".in"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 08:07

S23	609	floating adj1 point adj1 units	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 10:49
S24	129	(floating adj1 point adj1 units) and (floating adj1 point adj1 registers)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2002/09/26 10:50
S25	95	((712/222).CCLS.) and (@pd >= "19990215")	USPAT; EPO; JPO	OR	OFF	2003/02/03 13:17
S26	218	(floating adj1 point adj1 registers) and (instruction adj1 sets) and (@ pd >= "19990215")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/02/03 13:24
S27	3	(RISC near4 size) with (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S28	7	different with (instruction adj1 size\$1)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 10:14
S29	1	Blomgren and (RISC near4 size) and (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 11:01
S30	199	(712/222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/06/09 11:19
S31	95	(BLOMGREN-JAMES-S)".in"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 11:21
S32	4	(RISC near4 size) and (CISC near4 size)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/06/09 13:07
S33	123	(first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:09
S34	9	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:07
S35	1	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) same mode) same (floating\$point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:07
S36	3	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) same mode) and (floating\$point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:08

S37	2	(first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set) near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/21 11:09
S38	87	((712/222).CCLS.) and @pd>="20000215"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/29 08:56
S39	4	(RISC near4 size) with (CISC near4 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S40	18	(RISC and CISC) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 10:22
S41	1	("5,961,632").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/01/27 11:50
S42	0	((instruction adj1 sets) near4 (differ\$3 near4 word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S43	0	((instruction adj1 sets) near4 (word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S44	0	((instruction adj1 sets) with (word adj1 size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S45	0	((instruction adj1 sets) near4 (size)) same (float\$3 adj1 point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S46	0	((instruction adj1 sets) near4 (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S47	0	((instruction adj1 sets) near4 (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 11:10
S48	2	((instruction adj1 sets) same (word adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:33

S49	2	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) near4 size	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:34
S50	4	((first adj1 instruction adj1 set) near4 (second adj1 instruction adj1 set)) with size	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/24 12:34
S51	51	(floating adj1 point) near4 instruction\$1 near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:46
S52	10	(floating adj1 point) near4 (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:45
S53	17	(floating adj1 point) near4 instruction\$1 near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:56
S54	3	(floating adj1 point) near4 (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:48
S55	4	(floating adj1 point) with (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 13:56
S56	22	(floating adj1 point) same (instruction\$1 adj1 size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:20
S57	0	((float\$3 adj1 point\$3) adj1 instruction\$1) near4 (integer\$1 adj1 instruction\$1) near4 size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21
S58	0	((float\$3 adj1 point\$3) adj1 instruction\$1) with (integer\$1 adj1 instruction\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21
S59	0	((float\$3 adj1 point\$3) and integer) adj1 instruction\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:21
S60	13	(float\$3 adj1 point\$3 adj1 instruction\$1) with size	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:22

S61	34	dual adj1 instruction adj1 set\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 14:57
S62	0	(dual adj1 instruction adj1 set\$1) same (instruction adj1 size\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 15:09
S63	6	(dual adj1 instruction adj1 set\$1) same size\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/24 15:09
S64	2	((("5497341") or ("5442577")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:34
S65	1	("5751614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:35
S66	42	"5481693"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:47
S67	1	("5481693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 13:47
S68	45	shar\$3 near4 (floating adj1 point adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:30
S69	15	(speculat\$3 adj1 load\$1) near4 identif\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:31
S70	18	(speculat\$3 adj1 load\$1) near4 identif\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33
S71	0	(speculat\$3 adj1 load\$1) near4 identif\$4 near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33
S72	0	(speculat\$3 adj1 load\$1) near4 identif\$4 with mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:33

S73	1	(speculat\$3 adj1 load\$1) near4 identif\$4 same mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:38
S74	11	(speculat\$3 adj1 load\$1) near4 mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:41
S75	13	(speculat\$3 adj1 load\$1) with mode	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:42
S76	12	(speculat\$3 adj1 load\$1) near4 enabl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/25 14:42
S77	228	(712/222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/06/25 15:09
S78	2	((("5481684") or ("5781750"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 16:15
S79	1	("5481693").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/02 15:21